

מחוז המרכז
 תכנית מסח/125 א'
 השלמות בחיבור דרך 45 ודרך 443



נספח א-3: חתך לאורך רמפה מס' 33
 (גיליון 2)
 ק.מ. 1000\100 : 1



15.08.1999



DESIGN ELEVATION	156.84	155.02	155.00	153.76	153.60	153.28	153.11	152.74	152.34	151.92	151.46	150.98	149.53	149.35	148.76	148.44	148.13	146.97	145.62	144.36	143.11	141.85	140.59	139.34	138.08	137.90	137.30	136.90	136.39	135.93	135.53	135.18	134.87	134.62	134.43	134.29	134.20	134.17	134.18	134.26	134.27	134.48	134.70	134.87	134.96	134.99	135.00	134.97	134.89	134.77	134.59	134.37	134.10	133.79	133.42	133.01	132.55	132.31	131.95	131.08	130.53	129.90	129.52	128.80	128.51	128.33	128.06
EXIST. ELEVATION	156.84	155.02	155.00	153.76	153.60	153.28	153.11	152.74	152.34	151.92	151.46	150.98	149.53	149.35	148.76	148.44	148.13	146.97	145.62	144.36	143.11	141.85	140.59	139.34	138.08	137.90	137.30	136.90	136.39	135.93	135.53	135.18	134.87	134.62	134.43	134.29	134.20	134.17	134.18	134.26	134.27	134.48	134.70	134.87	134.96	134.99	135.00	134.97	134.89	134.77	134.59	134.37	134.10	133.79	133.42	133.01	132.55	132.31	131.95	131.08	130.53	129.90	129.52	128.80	128.51	128.33	128.06
SLOPES	-3.10%	65.00	A= 3.20% R= 3498.	L=110.0 F= 0.44	-5.28%	167.91	A= 7.41% R= 1888.	L=140.0 F= 1.30	1.12%	h= 6.18% R= 1102.	L=130.0 F= 1.01	-4.07%	8	7.3																																																					
LEFT DITCH							132.63	132.51	132.68	132.98	133.28	133.58	133.88	134.18	134.48	134.78	135.08	135.38	135.68	135.98	136.28	136.58	136.88	137.18	137.48	137.78	138.08	138.38	138.68	138.98	139.28	139.58	139.88	140.18	140.48	140.78	141.08	141.38	141.68	141.98	142.28	142.58	142.88	143.18	143.48	143.78	144.08	144.38	144.68	144.98	145.28	145.58	145.88	146.18	146.48	146.78	147.08	147.38	147.68	147.98	148.28	148.58	148.88	149.18	149.48	149.78	150.08
CENTRAL DITCH							132.63	132.51	132.68	132.98	133.28	133.58	133.88	134.18	134.48	134.78	135.08	135.38	135.68	135.98	136.28	136.58	136.88	137.18	137.48	137.78	138.08	138.38	138.68	138.98	139.28	139.58	139.88	140.18	140.48	140.78	141.08	141.38	141.68	141.98	142.28	142.58	142.88	143.18	143.48	143.78	144.08	144.38	144.68	144.98	145.28	145.58	145.88	146.18	146.48	146.78	147.08	147.38	147.68	147.98	148.28	148.58	148.88	149.18	149.48	149.78	150.08
RIGHT DITCH							132.63	132.51	132.68	132.98	133.28	133.58	133.88	134.18	134.48	134.78	135.08	135.38	135.68	135.98	136.28	136.58	136.88	137.18	137.48	137.78	138.08	138.38	138.68	138.98	139.28	139.58	139.88	140.18	140.48	140.78	141.08	141.38	141.68	141.98	142.28	142.58	142.88	143.18	143.48	143.78	144.08	144.38	144.68	144.98	145.28	145.58	145.88	146.18	146.48	146.78	147.08	147.38	147.68	147.98	148.28	148.58	148.88	149.18	149.48	149.78	150.08
HORIZONTAL AXIS	L=60.58	R= 250.0001 TNG= 66.04	DA= 29d39' 36"	31S= 8.57 LEN= 129.13	R= 220.0001 TNG= 116.53	31S= 28.96 LEN= 214.33	DA= 55d49' 07"	L= 124.66	R= 750.0001 TNG= 78.72	31S= 4.12 LEN= 156.88	L= 61.69																																																								
CUMM. DISTANCE	233000.00	233060.00	233120.00	233180.00	233240.00	233300.00	233360.00	233420.00	233480.00	233540.00	233600.00	233660.00	233720.00	233780.00	233840.00	233900.00	233960.00	234020.00	234080.00	234140.00	234200.00	234260.00	234320.00	234380.00	234440.00	234500.00	234560.00	234620.00	234680.00	234740.00	234800.00	234860.00	234920.00	234980.00	235040.00	235100.00	235160.00	235220.00	235280.00	235340.00	235400.00	235460.00	235520.00	235580.00	235640.00	235700.00	235760.00	235820.00	235880.00	235940.00	236000.00																