

טבלה מס' 3 ב): תכנית בינוי בגליל ים הרצליה - מפלסי רעש החזויים עם מיוסוך ע"י מבנים בשורה הראשונה

No.	Receiver name	Building side	Floor	Height m	Limit L(Aeq1h) dB(A)	Level L(Aeq1h) dB(A)	Conflict L(Aeq1h) dB(A)
1	1		GF	30.50	59	47.9	-
			1.OF	33.50	59	50.0	-
			2.OF	36.50	59	51.4	-
2	2		GF	30.50	64	45.9	-
			1.OF	33.50	64	45.9	-
			2.OF	36.50	64	47.1	-
			3.OF	39.50	64	48.0	-
			4.OF	42.50	64	49.0	-
			5.OF	45.50	64	50.0	-
			6.OF	48.50	64	50.7	-
			7.OF	51.50	64	51.2	-
			8.OF	54.50	64	52.5	-
3	3		GF	30.50	64	42.0	-
			1.OF	33.50	64	43.5	-
			2.OF	36.50	64	44.3	-
			3.OF	39.50	64	46.4	-
			4.OF	42.50	64	49.3	-
			5.OF	45.50	64	50.1	-
			6.OF	48.50	64	51.6	-
			7.OF	51.50	64	52.5	-
			8.OF	54.50	64	54.3	-
4	4		GF	30.60	64	42.1	-
			1.OF	33.60	64	42.8	-
			2.OF	36.60	64	43.7	-
			3.OF	39.60	64	48.3	-
			4.OF	42.60	64	51.9	-
			5.OF	45.60	64	52.7	-
			6.OF	48.60	64	55.8	-
			7.OF	51.60	64	57.5	-
			8.OF	54.60	64	58.7	-
5	5		GF	30.63	64	41.4	-
			1.OF	33.63	64	41.7	-
			2.OF	36.63	64	42.9	-
			3.OF	39.63	64	48.5	-
			4.OF	42.63	64	51.8	-
			5.OF	45.63	64	53.0	-
			6.OF	48.63	64	56.6	-
			7.OF	51.63	64	58.9	-
			8.OF	54.63	64	60.3	-
6	6		GF	30.53	59	66.4	7.4
			1.OF	33.53	59	68.4	9.4
			2.OF	36.53	59	69.3	10.3
			GF	30.63	64	41.4	-
			1.OF	33.63	64	41.9	-
			2.OF	36.63	64	43.1	-
			3.OF	39.63	64	49.2	-
			4.OF	42.63	64	51.8	-
			5.OF	45.63	64	54.2	-
7	7		GF	30.63	64	41.4	-
			1.OF	33.63	64	41.9	-
			2.OF	36.63	64	43.1	-
			3.OF	39.63	64	49.2	-
			4.OF	42.63	64	51.8	-
			5.OF	45.63	64	54.2	-
			6.OF	48.63	64	56.4	-
			7.OF	51.63	64	58.8	-
			8.OF	54.63	64	60.5	-
8	8		GF	30.62	64	40.6	-
			1.OF	33.62	64	42.2	-
			2.OF	36.62	64	43.0	-
			3.OF	39.62	64	44.7	-
			4.OF	42.62	64	45.5	-
			5.OF	45.62	64	46.6	-
			6.OF	48.62	64	48.1	-
			7.OF	51.62	64	50.7	-
			8.OF	54.62	64	53.9	-

Handwritten notes in Hebrew, including a signature and various annotations. One note reads: "התקנת מכלי רעש / לתת תוקף". Another note says: "בניין מס' 581". There are also some numbers and dates written.

Handwritten notes in Hebrew, including a signature and various annotations. One note reads: "מכלי רעש". Another note says: "מכלי רעש". There are also some numbers and dates written.

טבלה מס' 3 ב): תכנית בינוי בגליל ים הרצליה - מפלסי רעש החזויים עם מיסוך ע"י מבנים בשורה הראשונה

No.	Receiver name	Building side	Floor	Height m	Limit L(Aeq1h) dB(A)	Level L(Aeq1h) dB(A)	Conflict L(Aeq1h) dB(A)			
8	8		9.OF	57.62	64	55.6	-			
			10.OF	60.62	64	57.3	-			
			11.OF	63.62	64	59.4	-			
			12.OF	66.62	64	60.8	-			
			13.OF	69.62	64	61.6	-			
			14.OF	72.62	64	62.3	-			
			15.OF	75.62	64	62.9	-			
			16.OF	78.62	64	63.5	-			
			17.OF	81.62	64	63.9	-			
			18.OF	84.62	64	64.3	0.3			
			19.OF	87.62	64	64.5	0.5			
			20.OF	90.62	64	64.7	0.7			
			21.OF	93.62	64	64.8	0.8			
			22.OF	96.62	64	65.1	1.1			
			23.OF	99.62	64	65.2	1.2			
			24.OF	102.62	64	65.3	1.3			
			25.OF	105.62	64	65.3	1.3			
			26.OF	108.62	64	65.3	1.3			
			27.OF	111.62	64	65.4	1.4			
			28.OF	114.62	64	65.4	1.4			
			29.OF	117.62	64	65.5	1.5			
			30.OF	120.62	64	65.5	1.5			
			31.OF	123.62	64	65.5	1.5			
			32.OF	126.62	64	65.6	1.6			
			33.OF	129.62	64	65.6	1.6			
			34.OF	132.62	64	65.6	1.6			
			9	9		GF	30.61	64	42.7	-
						1.OF	33.61	64	44.1	-
						2.OF	36.61	64	45.0	-
						3.OF	39.61	64	46.0	-
						4.OF	42.61	64	46.7	-
						5.OF	45.61	64	47.4	-
						6.OF	48.61	64	47.9	-
						7.OF	51.61	64	48.4	-
8.OF	54.61	64				51.2	-			
9.OF	57.61	64				54.2	-			
10.OF	60.61	64				56.0	-			
11.OF	63.61	64				57.7	-			
12.OF	66.61	64				59.4	-			
13.OF	69.61	64				60.9	-			
14.OF	72.61	64				61.6	-			
15.OF	75.61	64				62.1	-			
16.OF	78.61	64				62.6	-			
17.OF	81.61	64				63.1	-			
18.OF	84.61	64				63.5	-			
19.OF	87.61	64				63.7	-			
20.OF	90.61	64				64.1	0.1			
21.OF	93.61	64				64.3	0.3			
22.OF	96.61	64				64.5	0.5			
23.OF	99.61	64				64.6	0.6			
24.OF	102.61	64				64.6	0.6			
25.OF	105.61	64				64.7	0.7			
26.OF	108.61	64				64.8	0.8			
27.OF	111.61	64				64.9	0.9			
28.OF	114.61	64				65.0	1.0			
29.OF	117.61	64				65.0	1.0			
30.OF	120.61	64				65.1	1.1			
31.OF	123.61	64				65.1	1.1			
32.OF	126.61	64				65.1	1.1			
33.OF	129.61	64				65.1	1.1			
34.OF	132.61	64	65.0	1.0						
10	10		GF	30.68	64	48.9	-			
			1.OF	33.68	64	50.0	-			
			2.OF	36.68	64	51.2	-			
			3.OF	39.68	64	51.7	-			

טבלה מס' 3 ב): תכנית בינוי בגליל ים הרצליה - מפלסי רעש החזויים עם מיסוך ע"י מבנים בשורה הראשונה

No.	Receiver name	Building side	Floor	Height m	Limit L(Aeq1h) dB(A)	Level L(Aeq1h) dB(A)	Conflict L(Aeq1h) dB(A)
10	10		4.OF	42.68	64	52.3	-
			5.OF	45.68	64	52.8	-
			6.OF	48.68	64	53.2	-
			7.OF	51.68	64	53.6	-
			8.OF	54.68	64	54.5	-
			9.OF	57.68	64	55.1	-
11	11		GF	30.73	64	50.7	-
			1.OF	33.73	64	51.7	-
			2.OF	36.73	64	52.5	-
			3.OF	39.73	64	53.2	-
			4.OF	42.73	64	53.7	-
			5.OF	45.73	64	54.2	-
			6.OF	48.73	64	54.5	-
			7.OF	51.73	64	54.8	-
			8.OF	54.73	64	55.5	-
9.OF	57.73	64	55.9	-			
12	12		GF	31.14	64	53.2	-
			1.OF	34.14	64	54.7	-
			2.OF	37.14	64	55.8	-
			3.OF	40.14	64	56.6	-
			4.OF	43.14	64	57.4	-
			5.OF	46.14	64	57.9	-
			6.OF	49.14	64	58.2	-
			7.OF	52.14	64	58.5	-
			8.OF	55.14	64	58.8	-
9.OF	58.14	64	59.0	-			
13	13		GF	31.21	64	53.5	-
			1.OF	34.21	64	55.5	-
			2.OF	37.21	64	56.6	-
			3.OF	40.21	64	57.5	-
			4.OF	43.21	64	58.2	-
			5.OF	46.21	64	58.6	-
			6.OF	49.21	64	58.9	-
			7.OF	52.21	64	59.2	-
			8.OF	55.21	64	59.5	-
9.OF	58.21	64	59.8	-			
14	14		GF	31.33	64	52.9	-
			1.OF	34.33	64	54.5	-
			2.OF	37.33	64	55.3	-
			3.OF	40.33	64	56.5	-
			4.OF	43.33	64	57.2	-
			5.OF	46.33	64	57.7	-
			6.OF	49.33	64	58.1	-
			7.OF	52.33	64	58.4	-
			8.OF	55.33	64	58.7	-
9.OF	58.33	64	59.0	-			
15	15		GF	31.42	64	52.4	-
			1.OF	34.42	64	54.0	-
			2.OF	37.42	64	54.8	-
			3.OF	40.42	64	55.8	-
			4.OF	43.42	64	56.5	-
			5.OF	46.42	64	57.1	-
			6.OF	49.42	64	57.5	-
			7.OF	52.42	64	57.8	-
			8.OF	55.42	64	58.1	-
9.OF	58.42	64	58.5	-			
16	16		GF	31.59	64	54.1	-
			1.OF	34.59	64	56.2	-
			2.OF	37.59	64	57.4	-
			3.OF	40.59	64	57.8	-
			4.OF	43.59	64	58.5	-
			5.OF	46.59	64	59.3	-
			6.OF	49.59	64	59.6	-
7.OF	52.59	64	59.9	-			
17	17		GF	31.71	64	55.6	-

טבלה מס' 3 ב): תכנית בינוי בגליל ים הרצליה - מפלסי רעש החזויים עם מיסוך ע"י מבנים בשורה הראשונה

No.	Receiver name	Building side	Floor	Height m	Limit L(Aeq1h) dB(A)	Level L(Aeq1h) dB(A)	Conflict L(Aeq1h) dB(A)
17	17		1.OF	34.71	64	57.8	-
			2.OF	37.71	64	58.6	-
			3.OF	40.71	64	60.1	-
			4.OF	43.71	64	60.6	-
			5.OF	46.71	64	61.0	-
			6.OF	49.71	64	61.4	-
			7.OF	52.71	64	61.7	-
18	18		GF	31.98	59	67.6	8.6
			1.OF	34.98	59	68.7	9.7
			2.OF	37.98	59	69.1	10.1
19	19		GF	31.50	64	51.1	-
			1.OF	34.50	64	52.4	-
			2.OF	37.50	64	53.5	-
			3.OF	40.50	64	54.3	-
			4.OF	43.50	64	55.0	-
			5.OF	46.50	64	55.5	-
			6.OF	49.50	64	56.1	-
			7.OF	52.50	64	56.4	-
			8.OF	55.50	64	56.8	-
			9.OF	58.50	64	57.2	-
			10.OF	61.50	64	57.4	-
			11.OF	64.50	64	57.6	-
			12.OF	67.50	64	57.8	-
			13.OF	70.50	64	58.0	-
			14.OF	73.50	64	58.1	-
			15.OF	76.50	64	58.2	-
			16.OF	79.50	64	58.4	-
			17.OF	82.50	64	58.5	-
			18.OF	85.50	64	58.6	-
			19.OF	88.50	64	58.7	-
			20.OF	91.50	64	58.8	-
			21.OF	94.50	64	58.9	-
			22.OF	97.50	64	59.0	-
			23.OF	100.50	64	59.0	-
			24.OF	103.50	64	59.1	-
			25.OF	106.50	64	59.1	-
			26.OF	109.50	64	59.2	-
			27.OF	112.50	64	59.2	-
			28.OF	115.50	64	59.3	-
			29.OF	118.50	64	59.3	-
			30.OF	121.50	64	59.4	-
			31.OF	124.50	64	59.4	-
			32.OF	127.50	64	59.4	-
			33.OF	130.50	64	59.4	-
34.OF	133.50	64	59.5	-			